

SIMULTANEOUS DETERMINATION OF SIX PARABENS IN COSMETICS BY A NEW HIGH PERFORMANCE LIQUID CHROMATOGRAPHY METHOD WITH FLUORESCENCE DETECTION

PELIN KÖSEOĞLU YILMAZ, MEHMET AKIF TOKAT

References:

1. Tavares R.S., Martins F.C., Oliveira P.J., Ramalho-Santos J., Peixoto F.P. Parabens in male infertility—Is there a mitochondrial connection? *Reprod. Toxicol.* 2009, 27(1), 1–7.
2. Shen H-Y., Jiang H-L., Mao H-L., Pan G., Zhou L., Cao Y-F. Simultaneous determination of seven phthalates and four parabens in cosmetic products using HPLC-DAD and GC-MS methods. *J. Sep. Sci.* 2007, 30(1), 48–54.
3. Routledge E.J., Parker J., Odum J., Ashby J., Sumpter J.P. Some alkyl hydroxy benzoate preservatives (parabens) are estrogenic. *Toxicol. Appl. Pharmacol.* 1998, 153(1), 12–19.
4. Harvey P.W., Darbre P. Endocrine disrupters and human health: Could oestrogenic chemicals in body care cosmetics adversely affect breast cancer incidence in women? *J. Appl. Toxicol.* 2004, 24(3), 167–176.
5. Barr L., Metaxas G., Harbach C.A., Savoy L.A., Darbre P.D. Measurement of paraben concentrations in human breast tissue at serial locations across the breast from axilla to sternum. *J. Appl. Toxicol.* 2012, 32(3), 219–32.
6. Golden R., Gandy J., Vollmer G. A review of the endocrine activity of parabens and implications for potential risks to human health. *Crit. Rev. Toxicol.* 2005, 35(5), 435–58.
7. Kang K.S., Che J.H., Ryu D.Y., Kim T.W., Li G.X., Lee Y.S. Decreased sperm number and motile activity on the F1 offspring maternally exposed to butyl p-hydroxybenzoic acid (butyl paraben). *J. Vet. Med. Sci.* 2002, 64(3), 227–35.
8. European Commission, Consumers: Commission improves safety of cosmetics. Brussels, 26 September 2014.
9. Ren L., Fang J., Liu G., Zhang J., Zhu Z., Liu H., Lin K., Zhang, H., Lu S. Simultaneous determination of urinary parabens, bisphenol A, triclosan, and 8-hydroxy-20-deoxyguanosine by liquid chromatography coupled with electrospray ionization tandem mass spectrometry. *Anal. Bioanal. Chem.* 2016, 408(10), 2621–2629.
10. Rodríguez-Gómez R., Zafra-Gómez A., Camino-Sánchez F.J., Ballesteros O., Navalón A. Gas chromatography and ultra high performance liquid chromatography tandem mass spectrometry methods for the determination of selected endocrine disrupting chemicals in human breast milk after stir-bar sorptive extraction. *J. Chromatogr. A* 2014, 1349, 69–79.
11. Tahan G.P., Santos N.K.S., Albuquerque A.C., Martins I. Determination of parabens in serum by liquid chromatography-tandem mass spectrometry: Correlation with lipstick use. *Regul. Toxicol. Pharmacol.* 2016, 79, 42–48.
12. Lee J.W., Lee H.K., Moon H.B. Contamination and spatial distribution of parabens, their metabolites and antimicrobials in sediment from Korean coastal waters. *Ecotoxicol. Environ. Saf.* 2019, 180, 185–191.
13. Liao C., Shi J., Wang X., Zhu Q., Kannan K. Occurrence and distribution of parabens and bisphenols in sediment from northern Chinese coastal areas. *Environ. Pollut.* 2019, 253:759–767.
14. Moreta C., Tena M.T., Kannan K. Analytical method for the determination and a survey of parabens and their derivatives in pharmaceuticals. *Environ. Res.* 2015, 142, 452–460.
15. Ma W.L., Zhao X., Lin Z.Y., Mohammed M.O., Zhang Z.F., Liu L.Y., Song W.W., Li Y.F. A survey of parabens in commercial pharmaceuticals from China and its implications for human exposure. *Environ. Int.* 2016, 95, 30–35.
16. Guo Y., Wang L., Kannan K. Phthalates and parabens in personal care products from China: concentrations and human exposure. *Arch. Environ. Contam. Toxicol.* 2014, 66(1), 113–119.
17. Eriksson E., Andersen H.R., Ledin A. Substance flow analysis of parabens in Denmark complemented with a survey of presence and frequency in various commodities. *J. Hazard. Mater.* 2008, 156(1-3), 240–259.
18. Lu D., Feng C., Wang D., Lin Y., Ip H.S., She J., Xu Q., Wu C., Wang G., Zhou Z. Analysis of twenty phenolic compounds in human urine: hydrochloric acid hydrolysis, solid-phase extraction based on K₂CO₃-treated silica, and gas chromatography tandem mass spectrometry. *Anal. Bioanal. Chem.* 2015, 407(14), 4131–4141.
19. Azzouz A., Rascón A.J., Ballesteros E. Simultaneous determination of parabens, alkylphenols, phenylphenols, bisphenol A and triclosan in human urine, blood and breast milk by continuous solid-phase extraction and gas chromatography-mass spectrometry. *J. Pharm. Biomed. Anal.* 2016, 119, 16–26.
20. Saraji M., Mirmahdieh S. Single-drop microextraction followed by in-syringed-derivatization and GC-MS detection for the determination of parabens in water and cosmetic products. *J. Sep. Sci.* 2009, 32, 988–995.
21. Wei H., Yang J., Zhang H., Shi Y. Ultrasonic nebulization extraction assisted dispersive liquid–liquid microextraction followed by gas chromatography for the simultaneous determination of six parabens in cosmetic products. *J. Sep. Sci.* 2014, 37, 2349–2356.

22. Melo L.P., Queiroz M.E.C. A molecularly imprinted polymer for microdisc solid-phase extraction of parabens from human milk samples, *Anal. Methods* 2013, 5, 3538–3545.
23. Jain A., Soni S., Verma K.K. Determination of parabens in cosmetics by liquid-phase microextractions and high-performance liquid chromatography–diode array detection. *J. Liq. Chromatogr. Relat. Technol.* 2015, 38, 82–91.
24. Shaaban H., Mostafa A., Alhajri W., Almubarak L., AlKhalifah K. Development and validation of an eco-friendly SPE-HPLC-MS method for simultaneous determination of selected parabens and bisphenol A in personal care products: Evaluation of the greenness profile of the developed method. *J. Liq. Chromatogr. Relat. Technol.* 2018, 41(10), 621–628.
25. Asimakopoulos A.G., Wang L., Thomaidis N.S., Kannan K. A multi-class bioanalytical methodology for the determination of bisphenol A diglycidyl ethers, p-hydroxybenzoic acid esters, benzophenone-type ultraviolet filters, triclosan, and triclocarban in human urine by liquid chromatography-tandem mass spectrometry. *J. Chromatogr. A* 2014, 1324, 141–148.
26. Gavin Q.W., Ramage R.T., Waldman J.M., She J. Development of HPLC-MS/MS method for the simultaneous determination of environmental phenols in human urine. *Int. J. Environ. Anal. Chem.* 2014, 94, 168–182.
27. Zgoła-Grzeskowiak A., Werner J., Jeszka-Skowrona M., Czarczynska-Goslinska B. Determination of parabens in cosmetic products using high performance liquid chromatography with fluorescence detection. *Anal. Methods* 2016, 8, 3903–3909.