

ANODIC STRIPPING VOLTAMMETRIC DETERMINATION OF COPPER IN MULTIVITAMIN-MINERAL FORMULATIONS USING IODINE-COATED PLATINUM ELECTRODE

MOHAMMAD AMAYREH, WAFA HOURANI, MOHAMMED KHAIR HOURANI

References:

1. Soetan, K.O.; Olaiya, C.O.; Oyewole, O.E. The importance of mineral elements for humans, domestic animals and plants: A review. *African Journal of Food Science*. **2010**, 4(5), 200-222.
2. Amal, A.H.; Manal, M. Z.; Manal, A. A E.; Amal, A.M.; Raya, A. S. Relation between anemia and blood level copper, zinc and iron among children. *BMC Research Notes*, **2010**, 3, 133-142. <https://doi.org/10.1186/1756-0500-3-133>.
3. Richard, A.F.; Dennis, J.T. Copper: an Essential Metal in Biology. *Curr Biol*. **2011**, 8(21), 877-883. doi: 10.1016/j.cub.2011.09.040
4. Preeti, T.B.; Satya, R. M.; Mohsina, H. Nutritional Aspects of Essential Trace Elements in Oral Health and Disease: An Extensive Review. *Scientifica (Cairo)*. **2016**, 5, 1-12. doi: 10.1155/2016/5464373.
5. Lisa, M. G.; Hannah, S. C-J.; Ching K, C. Copper: Toxicological relevance and mechanisms. *Arch Toxicol*. **2014**, 88(11), 1929-1938. doi: 10.1007/s00204-014-1355-y.
6. Araya, M.; Pizarro, F.; Olivares, M.; Arredondo, M.; Gonzalez, M.; Mendez, M. Understanding copper homeostasis in humans and copper effects on health. *Biol Res*. **2006**, 39(1), 183-189. doi: 10.4067/s0716-97602006000100020.
7. Mihaela, S.; Ion, G. T.; Serban, F.; Vasile, M.; Andrei, A.B.; Hassan, Y. A-E. Flame atomic absorption spectrometry assay for copper determination in pharmaceutical products for veterinary use. *Analytical Letter*. **2007**, 40, 2097-2104. <https://doi.org/10.1080/00032710701566693>.
8. Young, S. C.; James, P. V.; William, H. S. Determination of copper and manganese in vitamin-mineral tablets by atomic absorption spectroscopy. *Journal of Pharmaceutical sciences*. **1973**, 62, 1838-1840. <https://doi.org/10.1002/jps.2600621123>.
9. Silvio, S.; Annibal, D.; Pereira, N.; & Ricardo, J.C. Determination of Cu, Fe, Mn and Zn by flame atomic absorption spectrometry in multivitamin/multimineral dosage forms or tablets after an acidic extraction. *Journal of Pharmaceutical and Biomedical Analysis*. **2007**, 43(1), 304-310. doi: 10.1016/j.jpba.2006.06.009.
10. Hashem, E.Y., Seleim, M.M.; El-Zohry, A.M. Spectrophotometric determination of copper (II) in pharmaceutical, biological and water samples by 4-(2'-benzothiazolylazo)-salicylic acid. *Journal of Applied Spectroscopy*, **2011**, 78, 586-593. <https://doi.org/10.1007/s10812-011-9502-1>.
11. Ferando, C. V.; Willian, T. S.; Eder, T.G.C.; Orlando, F-F. Flow-injection spectrophotometric determination of captopril in pharmaceutical formulations using a new solid-phase reactor containing AgSCN immobilized in a polyurethane resin. *Brazilian Journal of Pharmaceutical Sciences*. **2012**, 48,325-333. <https://doi.org/10.1590/S1984-82502012000200016>.
12. Lewen, N.; Mathew, S.; Schenkenberger, M.; Raglione, T. A rapid ICP-MS screen for heavy metals in pharmaceutical compounds. *Journal of Pharmaceutical and Biomedical Analysis*. **2004**, 35 (4), 739-752. doi:10.1016/j.jpba.2004.02.023.
13. Beitollahi, H.; Taher, M. A.; Ahmadipour, M.; Hosseinzadeh, R. Electrocatalytic determination of captopril using a modified carbon nanotube paste electrode: Application to determination of captopril in pharmaceutical and biological samples. *Measurement*. **2014**, 47, 770-776. doi:10.1016/j.measurement.2013.10.001.
14. Beitollahi, H.; Mostafavi, M. Nanostructured Base Electrochemical Sensor for Simultaneous Quantification and Voltammetric Studies of Levodopa and Carbidopa in Pharmaceutical Products and Biological Samples. *Electroanalysis*, **2014**, 26(5), 1090-1098. doi:10.1002/elan.201400074.
15. Mohammadi, S. Z.; Beitollahi, H.; Bani Asadi, E. Electrochemical determination of hydrazine using a ZrO₂ nanoparticles-modified carbon paste electrode. *Environmental Monitoring and Assessment*, **2015**, 187(3). doi:10.1007/s10661-015-4309-9.
16. Uslu, B.; Ozkan, S. A. Electroanalytical Methods for the Determination of Pharmaceuticals: A Review of Recent Trends and Developments. *Analytical Letters*. **2011**, 44(16), 2644-2702. doi:10.1080/00032719.2011.553010.
17. Labib, M.; Sargent, E. H.; Kelley, S. O. Electrochemical Methods for the Analysis of Clinically Relevant Biomolecules. *Chemical Reviews*. **2016**, 116 (16), 9001-9090. doi:10.1021/acs.chemrev.6b00220
18. Rajendrachari, S. Effect of Sintering Temperature on the Pitting Corrosion of Ball Milled Duplex Stainless Steel by using Linear Sweep Voltammetry. *Analytical and Bioanalytical Electrochemistry*. **2018**, 10(3), 349-361.
19. David, I. G.; Popa, D.-E.; & Buleandra, M. Pencil Graphite Electrodes: A Versatile Tool in Electroanalysis. *Journal of Analytical Methods in Chemistry*. **2017**, 2017, 1-22. doi:10.1155/2017/1905968.

20. Torrinha, Á.; Amorim, C. G.; Montenegro, M. C. B. S. M.; Araújo, A. N. Biosensing based on pencil graphite electrodes. *Talanta*. **2018**, 190, 235–247. doi:10.1016/j.talanta.2018.07.086.
21. Punbusayakul, N. Carbon nanotubes architectures in electroanalysis. *Procedia Engineering*, **2012**, 32, 683–689. doi:10.1016/j.proeng.2012.01.1327
22. Manjuntha, J.; and Jayaprakash, G. K. Electrooxidation and Determination of Estriol Using a Surfactant Modified Nanotube Paste Electrode. *Eurasian Journal of Analytical Chemistry*. **2019**, 14(1), em20190001. <https://doi.org/10.29333/ejac/20190101>
23. Manjunatha, J. G. Surfactant modified carbon nanotube past electrode for the sensitive determination of mitoxantone anticancer drug. *Electrochem.Sci.Eng.* **2017**, 739-49.
24. Atta, N.; Darwish, S.; Khalil, S.; Galal, A. Effect of surfactants on the voltammetric response and determination of an antihypertensive drug. *Talanta*. **2007**, 72(4), 1438–1445. doi:10.1016/j.talanta.2007.01.053.
25. Vittal, R.; Gomathi, H.; Kim, K.-J. Beneficial role of surfactants in electrochemistry and in the modification of electrodes. *Advances in Colloid and Interface Science*, **2006**; 119 (1), 55–68. doi:10.1016/j.cis.2005.09.004.
26. Tigari, G.; Manjunatha, J. G.; Raril, C.; Hareesha, N. Determination of Riboflavin at Carbon Nanotube Paste Electrodes Modified with an Anionic Surfactant. *Chemistry Select*. **2019**;4(7), 2168–2173. doi:10.1002/slct.201803191.
27. Gamboa, S.M.; Rojas, E.R.; Martínez, V.V.; Vega-Baudrit, J. Synthesis and characterization of silver nanoparticles and their application as an antibacterial agent. *Int J Biosen Bioelectron*. **2019**; 5(5), 166-173.
28. Economou, A.; Fielden, P.R. Determination of Copper (II) by Anodic Stripping Voltammetry Using a Flow-through System. *Analyst*. **1996**, 121, 1903-1906.
29. Lutka, A.; Bukowska, H. Honorata, B. Voltammetric determination of zinc in compound pharmaceutical preparations-validation method. *Acta Poloniae Pharmaceutica-Drug Research*. **2009**, 66,471-475.
30. Cox, J.A.; Kulesza, P. J. Oxidation and Determination of Nitrite at Modified Electrodes. *J.Electroanal. Chem.* 1984, 175(1-2), 105-118. [https://doi.org/10.1016/S0022-0728\(84\)80349-6](https://doi.org/10.1016/S0022-0728(84)80349-6).
31. Felter, T. E.; Hubbard, A. T. L.E.E.D. and Electrochemistry of Iodine on Pt (100) and Pt (111) Single-Crystal Surfaces. *J. Electroanal. Chem.* **1979**, 100, 473-491.
32. Shu, Z. X.; Bruckenstein, S. Iodine Adsorption Studies at Platinum. *J. Electroanal. Chem.* **1991**, 317, 263-277.
33. Mebrahtu, T.; Rodriguez, J. F.; Bravo, B. G.; Soriaga, M.P. Hydrogenative/Cathodic Stripping of Iodine Chemisorbed on Smooth Polycrystalline Platinum Electrode. *J. Electroanal. Chem.* **1987**, 219, 327-333.
34. Thomas, A. E.; Wieckowski, A. Surface Diffusion Limited Desorption of Iodine on a Platinum Electrode?. *Journal of Electroanalytical Chemistry*. **1995**, 399, 207-212.
35. Podlovchenko, B. I.; and Kolyadko, E. A. Adsorption of Carbon Monoxide on Platinized Platinum Electrode with Preadsorbed Iodine and Iodide Anions. *Russian Journal of Electrochemistry*. **2003**, 39, 823-827.
36. Mohammed, K. H. Determination of Silver (I) by Cyclic Voltammetry at Iodine-Coated Electrodes. *Analyst*. **1994**, 119, 1975-1978.
37. Ross, F. L.; Arthur, T.H.; Ken, F.; Robert, J.B. Brain catecholamines: detection in vivo by means of differential pulse voltammetry at surface-modified platinum electrodes. *Brain Research*. **1976**, 114(2),346-352. [https://doi.org/10.1016/0006-8993\(76\)90678-8](https://doi.org/10.1016/0006-8993(76)90678-8)
38. Hourani, M.; Jarar, M.; Arar, S. Atmospheric SO₂ Determination by Voltammetric Analysis at an Iodine-Coated Platinum Electrode. *Electroanalysis*. **1999**, 9, 637-640. [https://doi.org/10.1002/\(SICI\)1521-4109\(199907\)11:9<637::AID-ELAN637>3.0.CO;2-R](https://doi.org/10.1002/(SICI)1521-4109(199907)11:9<637::AID-ELAN637>3.0.CO;2-R).
39. Hourani, M.K.; Esaifan, M. Indirect Voltammetric Method for Determination of Nitrogen Dioxide in the Ambient Atmosphere. *Jordan journal of Chemistry*. **2009**, 4, 367-375.
40. Hourani, M. K.; Hijaz, b. Voltammetric Analysis of Hydroquinone and Catechol at Iodine-Coated Polycrystalline Platinum Electrode. *Journal of Natural and engineering Science*. **2014**, 8(2), 25-29.
41. Mohammad, A.; Mohammed, K.H. Determination of Iron in Dietary Supplements by Voltammetric Analysis at an Iodine-Coated Polycrystalline Platinum Electrode. *Int.J. Electrochem. Sci.* **2018**, 13, 975-983. doi: 10.20964/2018.01.81
42. Mohammad, A.; Mohammed, H. Direct Determination of Hemoglobin in Blood Using Iodine-Coated Platinum polycrystalline electrode. *Analytical and Bioanalytical Chemistry Research*. **2019**, 6, 59-68. 10.22036/ABCR.2018.125953.1198
43. Mohammed, K. H.; Mohammad, A.; Wafa, H. A Voltammetric Sensor Based on Iodine-Coated Platinum Electrode for Determination of Iron in Blood Serum. *Anal.Bioanal.Electrochem.* **2018**, 10, 1620-1628.
44. Mohammad, A.; & Mohammed, H. Determination of Iron in Spinach Using Sweep Voltammetry at Iodine-Coated Platinum rotating Disk Electrode. *Journal of AOAC International*. **2019**,102 (2), 666-668. <https://doi.org/10.5740/jaoacint.18-0267>.
45. Chikasou, M.; Hirarayashi, T.; Nakamura, T.; and Hinoue, T. Activation Effects of a Platinum Electrode by Laser Pulse Irradiation on the Electro-Oxidation of Glucose in Alkaline Solution. *Analytical Sciences*. **2004**, 20, 1171-1177.

46. Jeffrey, C. A.; Storr, W. M.; Harrington, D. A. Electrochemical quartz-crystal microbalance study of silver and copper electrodeposition on bare and iodine-covered platinum electrodes. *Journal of Electroanalytical Chemistry*. **2004**, 569(1), 61–70. doi:10.1016/j.jelechem.2004.02.014.
47. Miller, J.N.; Miller, J.C. Statistics and Chemometrics for Analytical Chemistry, Pearson, England, **2010**.
48. Scott, P. D.; Stephen, G.C. Multi-element Analysis of Food by Microwave Digestion and Inductively Coupled Plasma-Atomic Emission Spectroscopy. *Journal of Food Composition and Analysis*. **2002**, 15 (2), 593-615. <https://doi.org/10.1006/jfca.2002.1064>.
49. Lutka, A.; Maruszewska, M.; Voltammetric determination of copper in selected pharmaceutical preparations--validation of the method. *Acta Pol Pharm*. **2011**, 68(2), 179-84.
50. Shi, C.; Xie, S.; Jia, J. The study of a new method to determine copper ion by square-wave voltammetry-extraction iodometry at the liquid/liquid interfaces. *J Autom Methods Manag Chem*. **2008**, 2008:453429. doi: 10.1155/2008/453429.