SEPARATION OF PARABENS BY THE RP HPLC ON CYANOPROPYL CHROMATOGRAPHIC PHASES FROM DIFFERENT MANUFACTURERS, USING A MOBILE PHASE WITH HIGH WATER CONTENT

O.A. SYROTCHUK, I.R. DIDUKH, V.N. ZAITSEV

References:

1. *Liquid Chromatography*, 2nd ed.; Fanali, S., Haddad, P. R., Poole, C., Riekkola, M.-L., Eds.; Elsevier, 2017.
2. *The HPLC Expert*; Kromidas, S., Ed.; Wiley-VCH Verlag GmbH & Co. KGaA: Weinheim, Germany, 2016.
3. *High Performance Liquid Chromatography: Fundamental Principles and Practice*; Lough, W. J., Wainer, I. W., Eds.; CRC Press, 1995.
4. Koval'chuk, T. V.; Lewin, U.; Zaitsev, V. N.; Engewald, W. Chromatographic Properties of High-Density Octadecyl Phases Immobilized on High-Purity Silica Gel. *J. Anal. Chem.*1999, *54* (2), 115–121.
5. Gilroy, J. J.; Dolan, J. W.; Snyder, L. R. Column Selectivity in Reversed-Phase Liquid Chromatography. IV. Type-B Alkyl-Silica Columns. *J. Chromatogr. A*2003, *1000* (1–2), 757–778.
6. Bocian, S.; Buszewski, B. Residual Silanols at Reversed-Phase Silica in HPLC - A Contribution for a Better Understanding. *J. Sep. Sci.*2012, *35* (10–11), 1191–1200 DOI: 10.1002/jssc.201200055.
7. McCalley, D. V. Comparison of the Performance of Conventional C18 Phases with Others of Alternative Functionality for the Analysis of Basic Compounds by Reversed-Phase High-Performance Liquid Chromatography. *J. Chromatogr. A*1999, *844* (1–2), 23–38 DOI: 10.1016/S0021-9673(99)00250-2.
8. Wilson, N. S.; Gilroy, J.; Dolan, J. W.; Snyder, L. R. Column Selectivity in Reversed-Phase Liquid Chromatography. *J. Chromatogr. A*2004, *1026* (1–2), 91–100 DOI: 10.1016/j.chroma.2003.11.041.
9. Mallik, A. K.; Qiu, H.; Oishi, T.; Kuwahara, Y.; Takafuji, M.; Ihara, H. Design of C 18 Organic Phases with Multiple Embedded Polar Groups for Ultraversatile Applications with Ultrahigh Selectivity. *Anal. Chem.*2015, *87* (13), 6614–6621 DOI: 10.1021/acs.analchem.5b00663.
10. Syrotchuk, O.; Didukh, I.; Kuras, S.; Zaitsev, V. HPLC Separation Of Bioactive Components Of Anti-Inflammatory Syrup On Stationary Phases With Embedded Polar Groups. *METHODS OBJECTS Chem. Anal.*2015, *10* (4), 171–177 DOI: 10.17721/moca.2015.171-177.
11. Brunelli, C.; Zhao, Y.; Brown, M.-H.; Sandra, P. Development of a Supercritical Fluid Chromatography High-Resolution Separation Method Suitable for Pharmaceuticals Using Cyanopropyl Silica. *J. Chromatogr. A*2008, *1185* (2), 263–272 DOI: 10.1016/j.chroma.2008.01.050.
12. Simeoni, S.; Tursilli, R.; Bianchi, A.; Scalia, S. Assay of Common Sunscreen Agents in Suncare Products by High-Performance Liquid Chromatography on a Cyanopropyl-Bonded Silica Column. *J. Pharm. Biomed. Anal.*2005, *38* (2), 250–255 DOI: 10.1016/j.jpba.2004.12.021.
13. Olsson, P.; Holmbäck, J.; Herslöf, B. Separation of Lipid Classes by HPLC on a Cyanopropyl Column. *Lipids*2012, *47* (1), 93–99 DOI: 10.1007/s11745-011-3627-0.
14. Periat, A.; Guillarme, D.; Veuthey, J.-L.; Boccard, J.; Moco, S.; Barron, D.; Grand-Guillaume Perrenoud, A. Optimized Selection of Liquid Chromatography Conditions for Wide Range Analysis of Natural Compounds. *J. Chromatogr. A*2017, *1504*, 91–104 DOI: 10.1016/j.chroma.2017.05.024.
15. Ma, M.; Lee, T.; Kwong, E. Interaction of Methylparaben Preservative with Selected Sugars and Sugar Alcohols. *J. Pharm. Sci.*2002, *91* (7), 1715–1723 DOI: 10.1002/jps.10167.
16. Okusa, K.; Tanaka, H.; Ohira, M. Development of a New Cyano-Bonded Column for High-Performance Liquid Chromatography. *J. Chromatogr. A*2000, *869* (1–2), 143–149 DOI: 10.1016/S0021-9673(99)00861-4.
17. Johnston, L. J.; de Mayo, P.; Wong, S. K. Surface Photochemistry: Evidence for Rotational and Translational Movement of Cyanopropyl Radicals on a Silica Gel Surface. *J. Chem. Soc. Chem. Commun.*1982, No. 19, 1106 DOI: 10.1039/c39820001106.
18. Lanin, S. N.; Nikitin, Y. S.; Pyatygin, A. A.; Staroverov, S. M. The Effect of the Structure of Bonded Cyanoalkyl Stationary Phases on Their Selectivity in the Liquid Chromatographic Separation of Polynuclear Aromatic Hydrocarbons. *Chromatographia*1989, *27* (3–4), 147–155 DOI: 10.1007/BF02265867.
19. Nedd, S.; Kobayashi, T.; Tsai, C.-H.; Slowing, I. I.; Pruski, M.; Gordon, M. S. Using a Reactive Force Field To Correlate Mobilities Obtained from Solid-State 13 C NMR on Mesoporous Silica Nanoparticle Systems. *J. Phys. Chem. C*2011, *115* (33), 16333–16339 DOI: 10.1021/jp204510m.
20. Euerby, M. R.; Petersson, P. Chromatographic Classification and Comparison of Commercially Available Reversed-Phase Liquid Chromatographic Columns Using Principal Component Analysis. *J. Chromatogr. A*2003, *994* (1–2), 13–36 DOI: 10.1016/S0021-9673(03)00393-5.
21. Shreedhara Murthy, R. S.; Crane, L. J.; Bronnimann, C. E. Characterization of Cyano Bonded Silica Phases from Solid-Phase Extraction Columns. Correlation of Surface Chemistry with Chromatographic Behavior. *J. Chromatogr. A*1991, *542* (C), 205–220 DOI: 10.1016/S0021-9673(01)88762-8.
22. Cooper, W. T.; Smith, P. L. Retention Mechanisms in Cyanopropyl Normal Bonded Phase High-Per-

formance Liquid Chromatographic Columns. *J. Chromatogr. A*1986, *355*, 57–74 DOI: 10.1016/S0021-9673(01)97303-0.
23. Rivera, D.; Harris, J. M. In Situ Studies of Pyridine Adsorption to Bare and Cyano-Derivatized Silica Sol-Gel Films Using Attenuated-Total-Internal-Reflection Fourier-Transform Infrared Spectroscopy. *Langmuir*2001, *17* (18), 5527–5536 DOI: 10.1021/la010280b.